

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2752	(362/345,341,355,356,29,30,97,241,246).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 19:43
L2	430	1 and ((hous\$3 contain\$3 cas\$3) same reflect\$4 same (hole\$1 aperture\$1 open\$4 orifice \$1 fissure))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 19:04
L3	255	2 and (heat\$4 temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 18:03
L4	528	((Huang near3 (hua\$5 \$5nan)) (Mai near3 (che\$5 \$5kuei))).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 19:03
L5	39	4 and (hous\$3 contain\$3 cas\$3) and reflect\$4 and (hole\$1 aperture\$1 open\$4 orifice \$1 fissure vent\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 19:14
L6	382	(Moon near3 (Seung\$5 \$6Hwan)).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 19:13
L7	19	6 and (hous\$3 contain\$3 cas\$3) and reflect\$4 and (hole\$1 aperture\$1 open\$4 orifice \$1 fissure vent\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 19:39
L8	641	((Salvitore near4 Guerrieri) (Lawrence near4 (David adelman))).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 19:23
L9	39	8 and (hous\$3 contain\$3 cas\$3) and reflect\$4 and (hole\$1 aperture\$1 open\$4 orifice \$1 fissure vent\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 19:23
L10	53972	(backlight panel LDC) and ((hous\$3 contain\$3 cas\$3) same (hole\$1 aperture\$1 open\$4 orifice \$1 fissure vent\$2)) and reflect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 19:40
L11	10227	(backlight panel LDC) and ((hous\$3 contain\$3 cas\$3) same (hole\$1 aperture\$1 open\$4 orifice \$1 fissure vent\$2) same (heat\$5 temperature)) and reflect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 19:41

L12	2897	(backlight panel LDC) and ((hous\$3 contain\$3 cas\$3) same (hole\$1 aperture\$1 open\$4 orifice \$1 fissure vent\$2) same (heat\$5 temperature) same (dissipat\$5 transfer\$5 reduc\$5)) and reflect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:30
L13	3033	(backlight panel LCD) and ((hous\$3 contain\$3 cas\$3) same (hole\$1 aperture\$1 open\$4 orifice \$1 fissure vent\$2) same (heat\$5 temperature) same (dissipat\$5 transfer\$5 reduc\$5)) and reflect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:36
L14	143	13 and ("362"/\$7).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 19:43
L15	125	14 not (3 5 7 9)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:37
L16	2896	(361/709,713,706,703,692,697, 690).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:30
L17	9	16 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:32
L18	1582	(313/45,46,47,40,41,27).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:32
L19	3	18 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:34
L20	1623	(315/56,57,58,59).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:34
L21	4	20 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:34

L22	1349	(backlight panel LCD) and ((hous\$3 contain\$3 cas\$3) same (hole\$1 aperture\$1 open\$4 orifice \$1 fissure vent\$2) same (heat\$5 temperature) same (dissipat\$5 transfer\$5 reduc\$5)) and (reflect\$4 same (hole\$1 aperture\$1 open\$4 orifice \$1 fissure vent\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:37
L23	1224	22 not (3 5 7 9 15)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:39
L24	547	22 and diffus\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:38
L25	489	24 not (3 5 7 9 15 21)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/05 20:39